

0 0 0

0

. 0

BP50-1 Blast Pots





Product Features

BP Series Blast Pots are available in multiple configurations and specifications to suit varying market requirements worldwide. The BP50-1 is a compact, automatic blast pot, suited to touch-up blasting and operation in confined spaces.

Designed and manufactured in accordance with international

- standards and requirements.
- ▶ Separate Sola 5 inlet and exhaust valves, for fast and efficient
- construction.
- Moisture trap, exhaust muffler and main air isolation valve standard.
- ▶ 14litres (0.5 ft³)abrasive capacity, 125 or 150psi pressure rating.

Common Applications On site industrial and commercial blasting.

- ▶ Blast and painting contractor yard work.
- ▶ Blast room applications with or without abrasive recovery systems.

Complementary Products



Moisture Separator



Blast Hoses



ATN-S Blast Nozzles



Twinline Hose



Pop Up Valves




QuikStop IIS Pneumatic Handle




AirFlo Electric Handle



PBF II-1 Filter








Assemblies

Stock Code	Description	Dry Weight	Abrasive Capacity
BEP-PS-0001-14	BP50-1/AU Sola5 J/Plana AirFlo 150PSI	70kg (155lbs)	14 litres (0.5ft ³)
BEP-PS-0067-00	BP50-1/MY Sola5 J/Plana AirFlo	70kg (155lbs)	14 litres (0.5ft3)



All data and information subject to change without prior notice. Brochure reference CAT-0101-01-00







Description		Qty	Description		Qty	Description		Qty
1	Junior Pop Up Valve	1	8	Exhaust Muffler	1	15	10m (33') Twinline Hose Assem	bly 1
2	Junior Seating Ring	1	9	13mm (1/2") Ball Valve	2	16	KC Nipple	2
3	STC-0 Steel Threaded Pot Coup	ling 1	10	6mm (1/4") - 125 PSI Pressure Relief Valve	1	17	Hose Clamp	2
4	Junior Plana NPT Valve	1	11	6mm (1/4") Pressure Gauge - Rear Entry	1	18	Blast Pot-H/Hole 192x144-Sealing Gasket	1
5	Pusher Line	1	12	Sola 5 Inlet Valve Assembly	1			
6	Inter Connecting Hose	1	13	13mm (1/2") Port Moisture Sepa	rator 1			
7	Sola 5 NPT Exhaust Valve	1	14	AirFlo Pneumatic Control Handle	1			