

# 11

# COMPRESSED AIR PREPARATION

The PanBlast™ range of compressed air preparation equipment includes pressure regulators, moisture separators and after coolers. Clean and dry compressed air supplied at the appropriate pressure is required to ensure a high quality blast stream with minimal clogging or clumping, of abrasive media.



CAT-0501-01 Page 444 to 445



9.5mm (3/8")  
Moisture Separator



13mm (1/2")  
Moisture Separator



19mm (3/4")  
Moisture Separator



25mm (1")  
Moisture Separator



32mm (1-1/4")  
Moisture Separator



38mm (1-1/2")  
Moisture Separator



13mm (1/2")  
Filter Element



19mm (3/4")  
Filter Element



32mm (1-1/4") & 38mm (1-1/2")  
Filter Element

## MOISTURE SEPARATORS



CAT-0503-01 Page 446 to 447



6mm (1/4")  
Pressure Regulator



9.5mm (3/8")  
Pressure Regulator



13mm (1/2")  
Pressure Regulator



19mm (3/4")  
Pressure Regulator



25mm (1")  
Pressure Regulator



6mm (1/4")  
Filter Regulator



9.5mm 3/8"  
Filter Regulator



13mm (1/2")  
Filter Regulator

## PRESSURE REGULATORS



CAT-0505-01 Page 448 to 449



ACC-250  
After Cooler



ACC-400  
After Cooler



ACC-750  
After Cooler



ACC-950  
After Cooler

- Significantly less downtime, breakdown and repairs
- Effectively removes moisture from compressed air
- Dry air provides smooth and continuous abrasive media flow

## AFTER COOLERS