



The SPE 9G Autoblaster machine has been developed for the preparation of smaller and confined areas.

A user friendly compact machine suitable for flooring contractors and the rental industry. Manually driven the machine starts and stops on a single deadmans handle delivering a measured volume of abrasive to the surface. Recognised in the industry as the modern, fast, versatile environmental dust free means of dry abrasive cleaning and texturing of horizontal or slightly inclined surfaces. This eliminates mess normally associated with hand blasting and leaves an ideal surface for coatings and overlays to be applied. Available in 110v, 220v, 50hz/60hz.



Features

- Blast unit constructed of manganese steel
- Handle fully adjustable in height
- Deadman handle automatically starts/stops blast motor and open/closes shot valve
- Front and rear support wheels fully adjustable in height
- Grill fitted into lower separator hopper unit assembly to eliminate foreign objects being allowed into the blastwheel and causing damage

Applications

- Removal of old coatings
- Providing non-slip surfaces
- Laitance removal on new concrete floors
- Texturing power floated concrete
- Shopping precincts
- Workshops
- Factories
- Warehouses



Blastwheel

11302



Control cage

11301



Hood Liner

11004



Side Liner Set

LH. 11006 RH. 11005

Specification 9G Blast Machine

| Type | Electric Single Phase | |
|----------------------------|-----------------------|------------|
| | 110v | 220v |
| Part Number | SPE 9G - 1 | SPE 9G - 2 |
| Power Output (Blast Motor) | 2.6hp | 2.6hp |
| Voltage | 110 | 220 |
| Cycles | 50/60 | 50/60 |
| Cleaning Width (mm) | 230 | 230 |
| Machine Dimensions (mm) | | |
| | Width | 340 |
| | Height | 840 |
| | Length | 830 |
| Weight (kg) | 62 | 62 |

Vacuum Specifications See Vacuum section page

| Model | Suggested Vacuum Model |
|------------|------------------------|
| SPE 9G - 1 | VAC 316 - 1 |
| SPE 9G - 2 | VAC 316 - 2 |

Electrical Requirements

| Machine | Volts | Plug Size | Cable Size mm | Max Cable Length | Transformer | Generator |
|------------|-------|--------------|---------------|------------------|-------------|-----------|
| SPE 9G - 1 | 110 | 16 Amp 3 Pin | 2.5 - 3 Core | 30 metres | 3kva | 5kva |
| SPE 9G - 2 | 220 | 16 Amp 3 Pin | 2.5 - 3 Core | 30 metres | 3kva | |